Robinhood Vidro, Productions, m.

... not just videos anymore!

1600 Reynoldsburg-New Albany Rd.
Blacklick, Ohio 43004
614-322-1038
fax 614-322-1039
www.robinhoodvideos.com
AskBernie@aol.com

BACK TENSION RELEASE AID



INSTRUCTION MANUAL

072311

OPERATING INSTRUCTIONS FOR BERNIE'S MISSING LINKTM

(Directions assume the shooter is right-handed. Reverse for left handed shooters)

Congratulations on your purchase of "Bernie's Missing LinkTM", (pat.#6,945,241 B2) the finest "draw safe" back tension release on the market today!

NOTE: For safety's sake, always test fire your new release by pulling against a piece of release rope or by test shooting 2 to 3 feet from a target and draw the bow away from your face until you are used to it.

TO LOAD:

Can be shot directly from the hook (B), using a "D loop" on your bow string. See Figure 1. Make sure the hook is behind the cam. See Figure 3. The NEW SPRING (Q) that replaces the old rubberband system will return it to this position.

Push the piston lever (C) down until it withdraws the piston (P) from the hole (O) in the link (N), and the head "free floats". (Link is disengaged.) See Figure 4.

With your middle finger, keep the head upright and attach to your bowstring or "D-loop" *See Figure 5*. After the release is hooked on, then return your middle finger to the handle. The handle (A) will remain disengaged until it's allowed to swivel clockwise, from the 12:00/6:00 position to the 2:00/8:00 posi-